

BIBLIOGRAPHY & REFERENCES

HEALTH PROFESSIONALS & CONSUMERS

Prevent the Next Fracture

Access Economics. *The burden of brittle bones: costing osteoporosis in Australia*. Prepared for Osteoporosis Australia. Canberra, 2001.

Australian Institute of Health and Welfare. *Australia's health 2002*. Canberra; AIHW: 2002.

Australian Journal of Bone and Joint Medicine (ed.). *Osteoporotic fracture in Australia: Prevalence and management trends*. Vol 3 Issue 2 2004

Australian Medicines Handbook of 2007

Center JR, Nguyen TV, Schneider D, Sambrook PN, Eisman JA. *Mortality after all major types of osteoporotic fracture in men and women: an observational study*. Lancet 1999; 353: 878-2.

Center JR, Bliuc D, Nguyen TV, Eisman JA. *Risk of subsequent fracture after low trauma fracture in men and women*. Journal of American Medical Association. Jan 24/31, vol 297, no 4, 2007.

Compston JE and Rosen CJ. *Fast Facts- Osteoporosis*. Health Press Ltd. Oxford. 4th Edition. November 2004.

Cooper C., Campion G, Melton LJ. *Hip Fractures in the elderly: A worldwide projection*. Osteoporosis Int. 1992; 2: 285-289

Diamond T, Bennell K, Babic Z (Eds). *Everybody's bones. A handbook for the prevention and management of osteoporosis* (3rd edition). Osteoporosis Victoria. 2001.

Fiatarone Singh MA. *Exercise & Osteoporotic Fracture Prevention, Part 1: the role of exercise*. Medicine Today 2006; 7(12): 30-39

Fiatarone Singh MA. *Exercise & Osteoporotic Fracture Prevention, Part 2: prescribing exercise*. Medicine Today 2007; 8(1): 31-41

Hart JAL. *Current Clinical Assessment and Surgical Treatment of Osteoporosis*, Osteoblast. Osteoporosis Australia. Winter 2005

International Osteoporosis Foundation. *'Invest in your bones – make it or break it' – How exercise helps to build & maintain strong bones, prevent falls & fractures and speed rehabilitation.*, October 2005.

Johnell O, Kanis JA, Oden O, et al. *Fracture risk following an osteoporotic fracture.* Osteoporosis Int (2004) 15:175-179

Johnell O, Kaufman J, Lane J, Bouxsein M. *Recommendations for care of the osteoporotic fracture patient to reduce the risk of future fracture.* Developed by the World Orthopedic Osteoporosis Organization (WOOO). WOOO 2003.

Kanis JA. *Assessment of fracture risk and its application to screening for postmenopausal osteoporosis: synopsis of a WHO report.* WHO Study Group. Osteoporosis Int 1994; 4: 368-381.

Kanis JA, Johnell O et al. *A meta analysis of previous fracture and subsequent fracture risk.* BONE. 35(2004), 375-382

Klotzbuecher CM, Ross PD, Landsman PB, et al. *Patients with prior fractures have an increased risk of future fractures: a summary of the literature and statistical synthesis.* Journal of Bone and Mineral Research Volume 15 Number 4: 721-739, 2000

Lindsay R, Silverman SL, Cooper C, et al. *Risk of new vertebral fracture in the year following a fracture.* JAMA. 2001; 285: 320-3.

MacLennan, Alastair H. *HRT: A reappraisal of the risks and benefits.* MJA. Volume 186 Number 12. 18 June 2007

Medicine Today. *Recommendations from the Vitamin D and Calcium Forum.* December 2005. Volume 6. Number 12.

Meunier PJ, Roux C, Seeman E, et al. *The effects of strontium ranelate on the risk of vertebral fracture in women with postmenopausal osteoporosis.* N Engl J Med 2004; 350:459-468.

Naunton M, Peterson GM, Jones G. *The role of community pharmacy in screening for osteoporosis.* Australian Pharmacist, June 2005; Vol 24; no 6: 484-487

Nguyen TV, Center JR, Eisman JA. *Osteoporosis: underrated, underdiagnosed and undertreated.* Med J Aust 2004; 180(5 Suppl): S18-22.

Nguyen TV, Center JR, Eisman JA. *Osteoporosis in elderly men and women: effects of dietary calcium, physical activity and body mass index.* J Bone Miner Res 2000; 15: 322-331

Nguyen TV, Eisman JA. *Risk factors for low bone mass in elderly men*. In: Orwoll ES, editor. *Osteoporosis in men*. San Diego: Academic Press, 1999: 335-362

OA Preventing the fracture cascade for the General Practitioner

OA Exercise and Rehabilitation

OA Osteoporosis and Surgery

OA Make it or Break It

OA Osteoporosis in men

O'Neill, Sheila. (developed by Medical and Scientific Advisory Committee, Osteoporosis Australia) *Guidelines for the treatment of postmenopausal osteoporosis for general practitioners*. Australian Family Physician 2002 Vol 31, No. 10.

Randell A, Sambrook PN, Nguyen TV, et al. *Direct clinical and welfare costs of osteoporotic fractures in elderly men and women*. Osteoporos Int 1995; 5: 427-32.

Randell AR, Nguyen TV, Sambrook PN, Eisman JA. *Deterioration in quality of life following hip fracture: a prospective study*. Osteoporos Int 2000; 11: 460-466.

Sambrook PN, Seeman E, Phillips SR, Ebeling PR. *Preventing osteoporosis: outcomes of the Australian Fracture Prevention Summit*. Med J Aust 2002; 176 (8 Suppl): 1-16.

Seeman E. *Invest in your bones. Osteoporosis in men*. International Osteoporosis Foundation 2004.

Seeman E, Eisman JA. *Treatment of osteoporosis: why, whom, when and how to treat*. Med J Aust 2004; 180: 298-303.

Van Staa TP, Leufkens HGM, Cooper C. Does a fracture at one site predict later fractures at other sites? A British cohort study. Osteoporosis Int.13;624-629 (2002).

Winters-Stone K, *Action Plan for Osteoporosis. Your guide to stronger, healthier bones*. Human Kinetics. 2005

World Health Organization. Ageing and osteoporosis. WHO 1999.
(www.who.int/archives/whday/en/documents1999/osteo.html)

Prevent the Next Fracture – Health Professional Guide specific

Bischoff-Ferrari HA, Willett WC, Wong JB, Stuck AE, Staehelin HB, Orav EJ, Thoma A, Kiel DP, Henschkowski J. *Prevention of nonvertebral fractures with oral vitamin D and dose dependency: a meta-analysis of randomized controlled trials*. Arch Intern Med. 2009 169(6):551-61.

Ebeling, P.R., Eisman, J.A., Flicker, L., Hearnden, N., Mason, R., Pasco, J., Reid, I., Sambrook, P., Stenmark, J., Wark, J.D., *Recommendations from the Vitamin D and Calcium Forum*. *Medicine Today*, 2005, 6(12): 43-50.

Tang BM, Eslick GD, Nowson C, Smith C, Bensoussan A. *Use of calcium or calcium in combination with vitamin D supplementation to prevent fractures and bone loss in people aged 50 years and older: a meta-analysis*. *Lancet*. 2007; 370(9588):657-66.

Working Group of the Australian and New Zealand Bone and Mineral Society; Endocrine Society of Australia; Osteoporosis Australia. *Vitamin D and adult bone health in Australia and New Zealand: a position statement*. *Med J Aust*. 2005 Mar 21;182(6):281-5.

Calcium and Vitamin D Guides

Bischoff-Ferrari, Heike A.; Willett, Walter C; Wong, John B. et al. *Fracture Prevention with Vitamin D Supplementation: A meta-analysis of Randomized Controlled Trials*. *JAMA*, 2005; 293 (18):2257-2264 (doi:10.1001/jama.293.18.2257)

Nutrient Reference Values for Australia and New Zealand Including Recommended Dietary Intakes. NHMRC 2005 published by Australian Government, Dept. of Health and Ageing

Tang, Benjamin MP; Eslick, Guy D; Nowson, Caryl; Smith, Caroline; Bensoussan, Alan. *Use of calcium or calcium in combination with vitamin D supplementation to prevent fractures and bone loss in people aged 50 years and older: a meta-analysis*. *The Lancet*, August 25 2007; 370, 657-66

Exercise and Fracture Prevention Guides

Bassey EJ, Ramsdale SJ. *Weight-bearing exercise and ground reaction forces: a 12-month randomized controlled trial of effects on bone mineral density in healthy postmenopausal women*. *Bone* 1995; 16: 469-476

Bassey EJ, Ramsdale SJ. *Increase in femoral bone density in young women following high-impact exercise*. *Osteoporos Int* 1994; 4: 72-75

Bassey EJ, Rothwell MC, Littlewood JJ, Pye DW. *Pre- and postmenopausal women have different bone mineral density responses to the same high-impact exercise*. *J Bone Miner Res* 1998; 13:1805-1813

Borg G. *Psychophysical bases of perceived exertion*. *Med Sci Sports Exerc* 1982; 14:377-381

- Fiatarone Singh MA. *Exercise & Fracture Prevention, Part 1: the role of exercise.* Medicine Today 2006; 7(12): 30-39
- Fiatarone Singh MA. *Exercise & Osteoporotic Fracture Prevention, Part 2: prescribing exercise.* Medicine Today 2007; 8(1): 31-41
- Hans D, Genton L, Drezner MK, et al. *Monitored impact loading of the hip: initial testing of a home-use device.* Calcif Tissue Int 2002; 71: 112-120
- Heinonen A, Kannus P, Sievanen H, et al. *Randomised controlled trial of effect of high-impact exercise on selected risk factors for osteoporotic fractures.* Lancet 1996; 348: 1343-1347
- Kelley GA, Kelley KS, Tran ZV. *Resistance training and bone mineral density in women: a meta-analysis of controlled trials.* AM J Phys Med Rehabil 2001; 80: 65-77
- Kelley G. *Aerobic exercise and lumbar spine bone mineral density in postmenopausal women: a meta-analysis.* J Am Geriatr Soc 1998; 46: 143-52
- Kelley GA. *Aerobic exercise and bone density at the hip in postmenopausal women: a meta-analysis.* Prev Med 1998; 27: 798-807
- Robling AG, Burr DB, Turner CH. *Recovery periods restore mechanosensitivity to dynamically loaded bone.* J Exp Biol 2001; 204: 3389-3399
- Robling AG, Hinant FM, Burr DB, Turner CH. *Shorter, more frequent mechanical loading sessions enhance bone mass.* Med Sci Sports Exerc 2002; 34: 196-202
- Wallace BA, Cumming RG. *Systematic review of randomized trials of the effect of exercise on bone mass in pre- and postmenopausal women.* Calcif Tissue Int 2000; 67: 10-18
- Winters KM, Snow CM. *Detraining reverses positive effects of exercise on the musculoskeletal system in premenopausal women.* J Bone Miner Res 2000; 15:2495-2503
- Wolff I, van Croonenborg JJ, Kemper HC, Kostense PJ, Twisk JW. *The effect of exercise training programs on bone mass: a meta-analysis of published controlled trials in pre- and postmenopausal women.* Osteoporos Int 1999; 9: 1-12